

# Mojave Desert Air Quality Management District Governing Board

## Technical Advisory Committee (TAC)

### Agenda

#### LOCATION

**MOJAVE DESERT AIR QUALITY MANAGEMENT DISTRICT**  
**14306 Park Avenue, Victorville, CA 92392**  
**Monday, August 7, 2017**  
**2:00 pm**

DUE TO TIME CONSTRAINTS AND THE NUMBER OF PERSONS WISHING TO GIVE ORAL TESTIMONY, PUBLIC COMMENTS ARE LIMITED TO THREE MINUTES PER SPEAKER. YOU MAY WISH TO MAKE YOUR COMMENTS IN WRITING TO ASSURE THAT YOU ARE ABLE TO EXPRESS YOURSELF ADEQUATELY.

**Items for Discussion** – Public comments on any Agenda item will be heard at the time of discussion of the Agenda item. Public comments not pertaining to Agenda items will be heard during the PUBLIC COMMENT period below.


1. Call to order
2. Introductions
3. Rule 102 – *Definition of Terms*
4. Rule 1115 – *Miscellaneous Metal Parts and Products Coating Operations*
5. Rule 1162 – *Polyester Resin Operations*
6. Rule 461 – *Gasoline Transfer and Dispensing*
7. Rule 462 – *Organic Liquid Loading*
8. Rule 463 – *Storage of Organic Liquids*
9. PUBLIC COMMENT
10. Committee Members comments and suggestions for future agenda items
11. Adjourn

*In compliance with the Americans with Disabilities act, if special assistance is needed to participate in the Committee Meeting, please contact Deanna Hernandez during regular business hours at 760.245.1661 x6244. Notification received 48 hours prior to the meeting will enable the District to make reasonable accommodations.*

I hereby certify, under penalty of perjury, that this agenda has been posted 72 hours prior to the stated meeting in a place accessible to the public. Copies of this agenda and any or all additional materials relating thereto are available at the District Office at 14306 Park Avenue, Victorville, CA 92392 or by contacting Deanna Hernandez at 760.245.1661 x6244 or by email at [dhernandez@mdaqmd.ca.gov](mailto:dhernandez@mdaqmd.ca.gov) .

**Mailed & Posted on: Tuesday, August 1, 2017**

Approved:



Deanna Hernandez, Executive Office Manager